

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>231</b>	((set or setting or configuratino or configure or configuring or combin\$3 or consolidat\$3 or merg\$3) with ((packet near4 filter) or (validation near4 rule) or (filter near4 rule) or (validat\$3 near4 packet))).ab,clm.	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>2</b>	<b>L2</b>	<b>3</b>	((set or setting or configuration or configure or configuring or combin\$3 or consolidat\$3 or merg\$3) with ((packet near4 filter) or (validation near4 rule) or (filter near4 rule) or (validat\$3 near4 packet))).ti.	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>3</b>	<b>L3</b>	<b>246</b>	((set or setting or configuration or configure or configuring or combin\$3 or consolidat\$3 or merg\$3) with ((packet near4 filter) or (validation near4 rule) or (filter near4 rule) or (validat\$3 near4 packet))).ab,clm.	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>4</b>	<b>L4</b>	<b>212</b>	(configur\$5) near4 ((packet near2 filter) or (validat\$3 near2 rule))	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>5</b>	<b>L5</b>	<b>101</b>	4 and (@ad<20010319 or @prad<20010319)	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>6</b>	<b>L6</b>	<b>24315</b>	(configur\$5) near4 ((filter\$3 or validation near2 parameter))	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>7</b>	<b>L7</b>	<b>195</b>	(configur\$5) near4 ((filter\$3 or validation) near2 parameter)	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>8</b>	<b>L8</b>	<b>111</b>	<b>7 and (@ad&lt;20010319 or @prad&lt;20010319) not 5</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>9</b>	<b>L16</b>	<b>14</b>	<b>8 and packet</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>10</b>	<b>L17</b>	<b>1414</b>	<b>709/220.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>11</b>	<b>L18</b>	<b>107</b>	<b>17 and (filter or rule or validation or parameter) with packet</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>12</b>	<b>L19</b>	<b>313</b>	<b>17 and (filter or rule or validation or parameter) with (ip or address or packet)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>13</b>	<b>L20</b>	<b>112</b>	<b>19 and (tree or hierarch\$4 or concat)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>14</b>	<b>L21</b>	<b>72</b>	<b>20 and (@ad&lt;20010319 or @prad&lt;20010319) not 5</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L6</b>	<b>6334</b>	<b>validat\$3 near4 packet or filter near4 packet or filter near4 rule or validat\$3 near4 rule</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>2</b>	<b>L7</b>	<b>1655</b>	<b>denial adj2 service or flood\$3 near3 attack</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>3</b>	<b>L8</b>	<b>324</b>	<b>6 and 7</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>4</b>	<b>L9</b>	<b>52340</b>	<b>(consolidat\$3 or combin\$5 or coalesc\$3 or aggregat\$3 conjoin\$3) near5 (rule or filter)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>5</b>	<b>L10</b>	<b>173</b>	<b>remov\$3 near3 (duplicate or replica or repeat\$3) near3 (rule or filter)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>6</b>	<b>L11</b>	<b>134</b>	<b>8 and 9</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>7</b>	<b>L12</b>	<b>15</b>	<b>11 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>8</b>	<b>L13</b>	<b>33</b>	<b>(6 7 9) and 10</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>9</b>	<b>L14</b>	<b>21</b>	<b>13 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>10</b>	<b>L15</b>	<b>36</b>	<b>12 or 14</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>11</b>	<b>L16</b>	<b>72076</b>	<b>(consolidat\$3 or combin\$5 or coalesc\$3 or aggregat\$3 conjoin\$3) near5 (rule or filter or parameter)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>12</b>	<b>L17</b>	<b>98364</b>	<b>(consolidat\$3 or combin\$5 or coalesc\$3 or aggregat\$3 or conjoin\$3 or group\$3) near5 (rule or filter or parameter)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>13</b>	<b>L18</b>	<b>149</b>	<b>7 and 6 and 17</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>14</b>	<b>L19</b>	<b>190</b>	<b>6 and 7 and (tree or hierarch\$4)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>15</b>	<b>L20</b>	<b>22</b>	<b>18 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>16</b>	<b>L22</b>	<b>4</b>	<b>disseminat\$4 near4 6</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>17</b>	<b>L21</b>	<b>25</b>	<b>19 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>18</b>	<b>L23</b>	<b>58</b>	<b>8 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>19</b>	<b>L24</b>	<b>35</b>	<b>6 same 7</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>20</b>	<b>L25</b>	<b>10</b>	<b>24 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>21</b>	<b>L26</b>	<b>198</b>	<b>(filter\$3 or validat\$4) near4 (rule or parameter) same packet and (rule or parameter or filter) near5 (distribut\$3 or shar\$3 or consolidat\$3 or combin\$5 or coalesc\$3)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>22</b>	<b>L28</b>	<b>96</b>	<b>27 and network</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>23</b>	<b>L27</b>	<b>107</b>	<b>26 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>24</b>	<b>L29</b>	<b>272</b>	<b>(6 or 7 or 17) and (709/225,242.ccls.)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>25</b>	<b>L30</b>	<b>162</b>	<b>29 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>26</b>	<b>L31</b>	<b>0</b>	<b>6611875.URPN.</b>	<b>USPAT</b>
<b>27</b>	<b>L32</b>	<b>2</b>	<b>6158008.URPN.</b>	<b>USPAT</b>
<b>28</b>	<b>L33</b>	<b>148</b>	<b>30 not 27 not 25 not 20 not 21 not 12 not 14</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>115</b>	<b>(network near3 manag\$5 or 709/223-226.ccls.) and tree near3 router</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>2</b>	<b>L2</b>	<b>59</b>	<b>1 and configur\$5 near4 router</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>3</b>	<b>L3</b>	<b>24</b>	<b>2 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>4</b>	<b>L4</b>	<b>405</b>	<b>(network near3 manag\$5 or 709/223-226.ccls.) and (tree or hierarch\$4) with router</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>5</b>	<b>L5</b>	<b>116</b>	<b>(network near3 manag\$5 or 709/223-226.ccls.) and (tree or hierarch\$4) with router with (interface or connect\$3)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>6</b>	<b>L6</b>	<b>65</b>	<b>5 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>7</b>	<b>L7</b>	<b>108</b>	<b>(router near3 (manag\$5 or configur\$5) or 709/220-226.ccls.) and tree with router with (configur\$5 or topology)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>8</b>	<b>L8</b>	<b>40</b>	<b>7 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>9</b>	<b>L9</b>	<b>747</b>	<b>network with tree with topology</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>10</b>	<b>L10</b>	<b>76603</b>	<b>(configur\$5 or manag\$5) with (router or switch or gateway)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>11</b>	<b>L11</b>	<b>231</b>	<b>9 and 10</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>12</b>	<b>L13</b>	<b>9110</b>	<b>((configur\$5 or manag\$5) with (router or switch or gateway)).ti,ab.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>13</b>	<b>L14</b>	<b>19</b>	<b>9 and 13</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>14</b>	<b>L15</b>	<b>14</b>	<b>14 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>15</b>	<b>L16</b>	<b>24</b>	<b>(manager or management or managing or manage) near5 (connect\$3) near5 (node or router or device or client) near5 tree</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>16</b>	<b>L17</b>	<b>4</b>	<b>16 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>17</b>	<b>L18</b>	<b>500</b>	<b>tree near5 topology near5 network</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>18</b>	<b>L19</b>	<b>70935</b>	<b>(manager or management or managing or manage) near5 (node or router or device or client)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>19</b>	<b>L20</b>	<b>142</b>	<b>18 and 19</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>20</b>	<b>L21</b>	<b>29132</b>	<b>((manager or management or managing or manage) near5 (node or router or device or client)).ti,ab.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>21</b>	<b>L22</b>	<b>20</b>	<b>18 and 21</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>22</b>	<b>L23</b>	<b>15</b>	<b>22 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>23</b>	<b>L24</b>	<b>190</b>	<b>(tree and topology).ti,ab.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>24</b>	<b>L25</b>	<b>29</b>	<b>24 and 709/\$.cccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>25</b>	<b>L26</b>	<b>21</b>	<b>25 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>26</b>	<b>L27</b>	<b>100</b>	<b>(manager or administrator) near4 tree near4 (client or node or router or device)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>27</b>	<b>L28</b>	<b>66</b>	<b>27 and (@ad&lt;20010319 or @prad&lt;20010319)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>